

| REPORT DOCUMENTATION PAGE | | | Form Approved OMB NO. 0704-0188 | |
|--|---|--|--|---|
| <small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small> | | | | |
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE March 26, 1997 | | 3. REPORT TYPE AND DATES COVERED Final: June 1, 1993 - Dec. 31, 1996 |
| 4. TITLE AND SUBTITLE Microwave and Millimeter Wave Scattering in Snow Terrain | | | 5. FUNDING NUMBERS | |
| 6. AUTHOR(S) Leung Tsang | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington Seattle, WA 98195-2500 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER | |
| 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 | | | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARO 30057.13-65 | |
| 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. | | | | |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited. | | | 12 b. DISTRIBUTION CODE DTIC QUALITY INSPECTED 4 | |
| 13. ABSTRACT (Maximum 200 words) <p>Understanding and predicting the snow conditions in snow terrain is important to the US Army in the transportation of military vehicles, equipment, and personnel and for monitoring battlefield environment in snow terrain. The snow parameters that characterize snow conditions are snow wetness, snow depth, snow density, and snow grain size and layering. These parameters describe the hydrological and mechanical states of the snow pack. Remote sensing of snow conditions using microwave and millimeters waves are useful techniques. The microwaves and millimeter waves interact with the snow rough surface and volume scattering to produce the bistatic and monostatic radar return.</p> <p>Detection of mines in snow terrain environment is an important problem. The scattering of wave by the mine can be obscured by the scattering of snow clutter. A newly developed technique based on angular correlation function can be used to suppress the scattering by clutter and relatively enhance the scattering by the mine.</p> | | | | |
| 14. SUBJECT TERMS Microwave scattering, rough surfaces, snow terrain, mine detection | | | 15. NUMBER OF PAGES 9 | |
| | | | 16. PRICE CODE | |
| 17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED | 18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED | 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED | 20. LIMITATION OF ABSTRACT UL | |

TABLE OF CONTENTS

| | | |
|------|--|---|
| I. | STATEMENT OF THE PROBLEM STUDIED | 1 |
| II. | SUMMARY OF THE MOST IMPORTANT RESULTS | 1 |
| III. | LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO SPONSORSHIP DURING THIS PERIOD | 4 |
| IV. | PARTICIPATING SCIENTIFIC PERSONNEL | 7 |

Microwave and Millimeter Wave Remote Sensing of Snow and Detection of Buried Objects in Snow Environment

I. Statement of the Problem Studied

Understanding and predicting the snow conditions in snow terrain is important to the US Army in the transportation of military vehicles, equipment, and personnel and for monitoring battlefield environment in snow terrain. The snow parameters that characterize snow conditions are snow wetness, snow depth, snow density, and snow grain size and layering. These parameters describe the hydrological and mechanical states of the snow pack. Remote sensing of snow conditions using microwave and millimeter waves are useful techniques. The microwaves and millimeter waves interact with the snow rough surface and volume scattering to produce the bistatic and monostatic radar return.

Detection of mines in snow terrain environment is an important problem. The scattering of wave by the mine can be obscured by the scattering of snow clutter. A newly developed technique based on angular correlation function can be used to suppress the scattering by clutter and relatively enhance the scattering by the mine.

II. Summary of the Most Important Results

1. *Rough Surface Scattering*

Monte Carlo simulations give exact solutions of Maxwell's equations given the rough surface height profiles. For the past few years, we have systematically developed a new methodology for solving the integral equation for 2-D random rough surfaces [1-2]. The method saves tremendously both CPU and computer memory. The method is termed the Sparse-Matrix Canonical-Grid Method (SMCG). It decomposes the integral equation matrix into a sparse matrix which represents strong interaction and the remainder of the matrix represents the weak interaction part. The weak part of the matrix is conveniently rewritten in a Taylor series by expanding Green's function about a flat surface. SMCG allows us to solve a 32 wavelength by 32 wavelength surface with 131072 surface unknowns. The approach has given exact solution of Maxwell's equation for 2-dimensional surface. This approach gives an exact solutions of Maxwell's equations and gives results that compare well with laboratory experimental data of 2-dimensional random rough surfaces (Figure 1). Exact solutions avoid the restrictions of classical analytic methods that are limited in regime of validity of frequency, rough surface conditions and incident angles. The method was recently extended to 2-dimensional dielectric surface.

2. *Volume Scattering in Snow*

According to classical theory, the behavior of a wave through an ensemble of particles can be determined by considering the propagation characteristics of a single particle. However, when considering a dense random medium (i.e., the case where the scatterers occupy a significant fraction of the volume) like the ice grains in snow, the mutual interaction between particles must be considered. The correlation of particle positions due to dense packing also gives a relative phase relationship between scattered waves from different particles. The dense media analytic theories show that correlated scattering of different ice grains are important. The pair distribution functions of relative particle positions affects the correlated scattering effects. Another method that we have used to examine wave propagation and scattering by random discrete scatterers is Monte Carlo simulations.

Figure 2 shows a portion of a snow section from a site in Fairbanks, Alaska prepared at the Army Cold Regions Research Engineering Laboratory (CRREL) in Hanover, New Hampshire [3]. The 2-D subsections were prepared by first casting the snow and then slicing, polishing, and dyeing so the snow grains are visible against the pore space.

3. Detection of Buried Object

An important key element in the detection of mine under snow is how to discriminate scattering of electromagnetic waves by mines from unwanted snow clutter. Our work is centered on a novel detection technique that was recently developed based on new angular correlation phenomena, called the "memory effect". By choosing the appropriate set of incident and scattered angles, results show that for cases when scattering intensities of clutter and buried object are comparable, the angular correlation function of the deterministic object can be many dB higher than that of clutter. An advantage of the technique, is that, unlike tomography or classical inverse scattering problem, very few incident and scattered angles are needed, and therefore, the system will be much simpler and lower cost than tomographic or other techniques.

If the configuration of the transmitters and receivers are away from the memory line, then the contribution from clutter scattering is minimized and the scattering by the buried object is enhanced relatively by many dB. This has been verified in laboratory experiments [6] and numerical simulations [5,7].

To illustrate the method, a simple configuration of using two monostatic radars for measurement of ACF of wave scattering by a buried object below a random rough surface is shown in figure 3. An example of the results of ACF are shown in figure 4. The "+" represent in dB the ratio of the intensity with mine and the intensity without the mine. The "o" represent in dB the ratio of ACF with mine and the ACF without mine. The results show that the ACF ratios are consistently up to 15 dB higher than the ratios of intensities. This illustrates that ACF is a useful technique for detecting the mine in snow clutter environment and is superior to that of intensity. Besides the configuration of two monostatic radars, other bistatic arrangements are possible.

References

- [1] L. Tsang, C. H. Chan, and K. Pak, "Backscattering enhancement of a two-dimensional random rough surface (three-dimensional scattering) based on Monte Carlo simulations," *J. of Optical Society of America A*, Vol. 11, 711-715, 1994.
- [2] K. Pak, L. Tsang, C. H. Chan and J. Johnson, "Backscattering enhancement of vector electromagnetic waves from two-dimensional perfectly conducting random rough surfaces based on Monte Carlo simulations," *Journal of the Optical Society of America A*, Vol. 12, 2491-2499, 1995.
- [3] L. Zurk, L. Tsang, J. Shi, and R.E. Davis, "Electromagnetic scattering calculated from pair distribution functions retrieved from planar snow sections", *IEEE Trans. on Geoscience and Remote Sensing*, in press, 1997.
- [4] L. Tsang, J. A. Kong, and R. T. Shin, *Theory of Microwave Remote Sensing*, Wiley-Interscience, 1985.
- [5] L. Tsang, Guifu Zhang, and K. Pak, "Detection of a buried object under a single random rough surface with angular correlation function in EM wave scattering," *Microwave and Optical Technology Letters*, Vol. 11, 300-304, 1996.
- [6] Y. Kuga, T.-K. Chan, and A. Ishimaru, "Detection of a target embedded in clutter using the angular memory effect," submitted for publication in *IEEE Transactions on Antennas and Propagation*, 1995.
- [7] Guifu Zhang, Leung Tsang, and Yasuo Kuga, "Studies of the angular correlation function of scattering by random rough surfaces with and without a buried object," *IEEE Transaction on Geoscience and Remote Sensing*, Vol. 35, No. 2, 444-453, 1997.




Figure 1: Comparison between numerical simulation and millimeter wave experimental data. Parameters are: incident angle $\theta_i = 20^\circ$, $\phi_i = 0^\circ$ (plane of incidence), rough surface rms height $= 0.5\lambda$ correlation length $= 2.0\lambda$




Figure 3: Transmitters T_1 , T_2 and receivers R_1 , R_2 are mounted on a rod attached to vehicles. Mine is buried under rough surfaces.



Figure 2: Snow section from Fairbanks Alaska, March 3, 1993




Figure 4: The x-axis denotes the incident angle for θ_{i2} (degree). \circ represents the ratio of ACF with mine and ACF without mine. $+$ represents the ratio of intensity with mine and without mine.

III. LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO SPONSORSHIP DURING THIS PERIOD

- Z. Chen, L. Tsang, Y. Kuga, and C. H. Chan, "Active polarimetric microwave remote sensing of corn and multi-parametric retrieval of corn parameters with artificial neural network," *Microwave and Optical Technology Letters*, 6, 611-615, 1993.
- L. Tsang, C. H. Chan, H. Sangani, A. Ishimaru, and P. Phu, "A banded matrix iterative approach to Monte Carlo simulations of large-scale random rough surface scattering: TE case," *Journal of Electromagnetic Waves and Applications*, 7 (9), 1185-1200, 1993.
- L. Tsang, C. H. Chan, K. Pak, H. Sangani, A. Ishimaru, and P. Phu, "Monte Carlo simulations of large-scale composite random-rough surface scattering based on the banded matrix iterative approach," *Journal of the Optical Society of America A*, 11 (2), 691-696, February 1994.
- L. Tsang, C. H. Chan, and K. Pak, "Backscattering enhancement of a two-dimensional random rough surface (three-dimensional scattering) based on Monte Carlo simulations," *Journal of the Optical Society of America A*, 11(2), 711-715, February 1994.
- L. Li, C. H. Chan, L. Tsang, K. Pak, P. Phu, and S. H. Lou, "Monte Carlo simulations and backscattering enhancement of random metallic rough surfaces at optical frequencies," *Journal of Electromagnetic Waves and Applications*, 8(3), 277-293, 1994.
- R. West, D. Gibbs, L. Tsang, and A. K. Fung, "Comparison of optical scattering experiments and the quasicrystalline approximation for dense media," *Journal of the Optical Society of America A*, 11(6), 1854-1858, June 1994.
- L. Li, C. H. Chan, and L. Tsang, "Numerical simulation of conical diffraction of tapered electromagnetic waves from random rough surfaces and applications to passive remote sensing," *Radio Science*, 29(3), 587-598, May-June 1994.
- L. Tsang, J. A. Kong, Z. Chen, K. Pak, and C. Hsu, "Theory of microwave scattering from vegetation on the collective scattering effects of discrete scatterers," Proceedings of the ESA-NASA Workshop on Passive Microwave Remote Sensing of Land-Atmosphere Interaction, January 11-15, 1993, St. Lary, France, VSP Press, The Netherlands, 1994.
- L. Tsang, D. Davis, R. West, Z. Chen, J.-N. Hwang, and D. Winebrenner, "Passive microwave remote sensing of snow: Scattering in snow based on dense media theory and parametric inversion of snow parameters with an artificial neural network," Proceedings of the ESA-NASA Workshop on Passive Microwave Remote Sensing of Land-Atmosphere Interaction, January 11-15, 1993, St. Lary, France, VSP Press, The Netherlands, 1994.
- W. Au, J. A. Kong, and L. Tsang, "Absorption enhancement of scattering of electromagnetic waves by dielectric cylinder clusters," *Microwave and Optical Technology Letters*, 7(10), 454-457, July 1994.
- K. H. Ding, L. Zurk, and L. Tsang, "Pair distribution functions and attenuation rates for sticky particles in dense media," *Journal of Electromagnetic Waves and Applications*, 8(12), 1585-1604, 1994.
- L. Tsang and S. L. Chuang, "Intersubband absorption of TE and TM waves in a p-type semiconductor superlattice including the effects of continuum states," *IEEE Journal of Quantum Electronics*, 31(1) 20-28, January 1995.

- C. C. Lu, W. C. Chew, and L. Tsang, "The application of recursive aggregate T-matrix algorithm in the Monte Carlo simulations of the extinction rate of random distribution of particles," *Radio Science*, 30(1), 25-28, January-February 1995.
- Z. Chen, L. Tsang and G. Zhang, "Scattering of electromagnetic waves by vegetation based on the wave approach and the stochastic Lindenmayer system," *Microwave and Optical Technology Letters*, 8(1), 30-33, January 1995.
- C. H. Chan and L. Tsang, "A Sparse-Matrix Canonical-Grid Method for scattering by many scatterers," *Microwave and Optical Technology Letters*, 8(2), 114-118, February 1995.
- L. Tsang, K. H. Ding, G. Zhang, C. Hsu, and J. A. Kong, "Backscattering enhancement and clustering effects of randomly distributed dielectric cylinders overlying a dielectric half space based on Monte-Carlo simulations," *IEEE Transactions on Antennas and Propagation*, 43(5), 488-499, May 1995.
- L. Tsang, C. H. Chan, K. Pak, and H. Sangani, "Monte-Carlo simulations of large-scale problems of random rough surface scattering and applications to grazing incidence with the BMIA/Canonical Grid Method," *IEEE Transactions on Antennas and Propagation*, 43(8), 851-859, August 1995.
- L. M. Zurk, L. Tsang, K. H. Ding, and D. P. Winebrenner, "Monte Carlo simulations of the extinction rate of densely packed spheres with clustered and non-clustered geometries," *Journal of the Optical Society of America A*, 12(8), 1772-1781, August 1995.
- K. Pak, L. Tsang, C. H. Chan, and J. Johnson, "Backscattering enhancement of electromagnetic waves from two-dimensional perfectly conducting random rough surfaces based on Monte Carlo simulations," *Journal of the Optical Society of America A*, 12(11), 2491-2499, November 1995.
- D. Davis, Z. Chen, J. Hwang, L. Tsang and E. Njoku, "Solving inverse problems by Bayesian iterative inversion of a forward model with applications to parameter mapping using SMMR remote sensing data," *IEEE Transactions on Geoscience and Remote Sensing*, 33(5), 1182-1193, September 1995.
- J. T. Johnson, L. Tsang, R. T. Shin, K. Pak, C. H. Chan, A. Ishimaru, and Y. Kuga, "Backscattering enhancement of electromagnetic waves from two-dimensional perfectly conducting random rough surfaces: Comparison of Monte Carlo simulations with experimental data," *IEEE Transactions on Antennas and Propagation*, vol. 44, 748-756, May, 1996.
- L. M. Zurk, L. Tsang and D. P. Winebrenner, "Scattering properties of dense media from Monte Carlo simulations with applications to active remote sensing of snow," *Radio Science*, 31, 803-819, July-August, 1996.
- L. Tsang, K. Pak, R. Weeks, J. Shi, and H. Rott, "Electromagnetic wave scattering from real life rough surface profiles based on an averaged spectrum," *Microwave and Optical Technology Letters*, 12(5), 258-262, August 1996.
- Guifu Zhang, Leung Tsang and Zhengxiao Chen, "Collective scattering effects of trees generated by stochastic Lindenmayer systems," *Microwave and Optical Technology Letters*, 11(2), 107-111, 1996.
- W. C. Au, L. Tsang, R. T. Shin, and J. A. Kong, "Collective scattering and absorption in microwave interaction with vegetation canopies," *Progress in Electromagnetics Research*, in press, vol. 14, EMW Publishers, Cambridge, Massachusetts 1996.
- Z. Chen, L. Tsang, and G. Zhang, "Application of stochastic Lindenmayer systems to study collective and cluster scattering in microwave remote sensing of vegetation," *Progress in Electromagnetics Research*, in press, vol. 14, EMW Publishers, Cambridge, Massachusetts 1996.

- Richard West, D. P. Winebrenner, L. Tsang, and H. Rott, "Microwave emission from density stratified Antarctic firn at 6 cm. wavelength," in press, *Journal of Glaciology*, 1995.
- L. Li, J. Vivekanandan, C. H. Chan and L. Tsang, "Microwave radiometer technique to retrieve vapor, liquid and ice, Part I-Development of a neural network-based inversion method," *IEEE Transactions on Geoscience and Remote Sensing*, 35(2), 225-236, March 1997.
- J. Vivekanandan, L. Li, L. Tsang, and C. Chan, "Microwave radiometer technique to retrieve vapor, liquid and ice: Part II-Joint studies of radiometer and radar in winter clouds," *IEEE Transactions on Geoscience and Remote Sensing*, 35(2), 237-247, March 1997.
- J. T. Johnson, R.T. Shin, J. Eidson, L. Tsang and J.A. Kong, "A method of moments model for VHF propagation", *IEEE Transactions on Antennas and Propagation*, in press, 1996.
- L. Tsang, Guifu Zhang, and K. Pak, "Detection of a buried object under a single random rough surface with angular correlation function in EM wave scattering," *Microwave and Optical Technology Letters*, 11(6), 300-304, April 1996. Corrections: 12(6), p. 375, August 1996.
- L. Zurk, L. Tsang, J Shi, and R.E. Davis, "Electromagnetic scattering calculated from pair distribution functions retrieved from planar snow sections", in press, *IEEE Transactions on Geoscience and Remote Sensing*, 1996.
- G. Zhang, L. Tsang and Y. Kuga, "Studies of the angular correlation function of scattering by random rough surfaces with and without a buried object," *IEEE Transactions on Geoscience and Remote Sensing*, 35(2), 444-453, March 1997.
- J. Johnson , R.T. Shin, J.A. Kong, L. Tsang and K. Pak, "A numerical study of ocean backscattering", submitted to *IEEE Transactions on Geoscience and Remote Sensing*, 1996.
- J. T. Elson, C. H. Chan, L. Tsang, and K. S. Yee, "Observation of backscattering enhancement in time with a hybrid FVTD/FDTD method," submitted to *IEEE Trans. on Geoscience and Remote Sensing*, 1996.
- J. T. Johnson, R. Shin, L. Tsang, K. Pak and J. A. Kong, "A numerical study of ocean polarimetric thermal emission," submitted to *IEEE Transactions on Geoscience and Remote Sensing*, 1996.
- C. H. Chan, L. Tsang and K. Pak, "A comparison of two numerical methods of rough surface scattering calculations," submitted to *Microwave and Optical Technology Letters*, 1996.
- K. Pak, L. Tsang and J. T. Johnson " Numerical simulations and backscattering enhancement of electromagnetic waves from two-dimensional dielectric random rough surfaces with sparse-matrix canonical grid method", submitted to *Journal of Optical Society of America A*, 1996.
- L. Wilson, L. Tsang, and J-N Hwang, "Mapping snow water equivalent in mountainous areas by combining a spatially distributed snow hydrology model with passive microwave remote sensing data", submitted to *IEEE Transactions on Geoscience and Remote Sensing*, 1996.
- G. Zhang, L. Tsang, and Y. Kuga, "The angular correlation function of wave scattering by a buried object embedded in random discrete scatterers under a random rough surface", submitted to *Microwave and Optical Technology Letters*, 1996.

IV. PARTICIPATING SCIENTIFIC PERSONNEL

Leung Tsang, Principal Investigator

Chi Chan, Co-Investigator

Guifu Zhang, Research Associate

Larry Wilson, Research Associate

Kyung Pak, Awarded Ph.D. summer 1996

Zhengxiao Chen, Awarded Ph.D. December 1994